

MANUAL SLIDING DOOR SYSTEM SHALL BE HUNTER "IC-18" AS ENGINEERED, MANUFACTURED & ASSEMBLED BY HUNTER ACCESS TECHNOLOGIES INC. NOTE:

iC Z

TENSIVE CARE UNIT SLIDER SYSTEM. -18-1-FLL. FIXED SIDELITE LEFT HAND, APPLICATION:

STANDARD FINISH: ANODIZED, CLEAR; DARK BRONZE; SPECIAL FINISHES ARE AVAILABLE

O-SX: OVERHEAD CONCEALED FIXED SIDELITE HUNTER IC—18—1—FLI DESCRIPTION

STD. PACKAGE SHALL INCLUDE MANUAL HEADER, FRAME AND DOORS WITH MUNTIN, 4" BOTTOM RAILS WITH CONCEALED SWEEP, BRUSH—PILE WEATHER STRIPPING, EMERGENCY BREAKAWAY, GLAZII GUIDE IS CONCEALED IN 'J' MOLDING OF FIXED PANEL. GLAZING STOPS FOR 1/4" T.G. AND RECESSED HANDLES. BOTTOM I. SINGLE SLIDE NARROW STILE MANUAL DOOR GLAZING

- KEY	FLL-9	FLL-8	FLL-7	DOC	
(INCHES)	9	8	.7	DOOR TYPE: IC18-1-FLL-	
KEY (INCHES) (B-1/2)	108"	96"	84"	OVERALL FRAME A WIDTH	
(A+1/2) (A/2-7/16) (A/2-6 3/4) (A/2-3 1/8)	108-1/2" 53 9/16"	96 1/2"	84 1/2"	OVERALL ROUGH EQUAL NET FRAME A OPENING B PANELS C DOOR DWIDTH WIDTH OPENING	
(A/2-7/16)	53 9/16"	47 9/ 16"	41 9/16"	EQUAL PANELS C WIDTH	
(A/2-6 3/4)	47 1/4"	41 1/4"	35 1/4"	NET DOOR D OPENING	
(A/2-3 1/8)	50 7/8"	44 7/8"	38 7/8"	BREAK OUT E DIM'N	

REFER TO RELEVANT (LOCAL, SIAIL, NAIIONAL OR AHJ) BUILDING CODE FOR MIN HEIGHT & MIN/MAX WIDTH ALLOWABLE FOR EGRESS REQUIREMENT.

0

1/4"



3/4"

1/4"



ROUGH OPENING HT. 87 3/4" STD. OVERALL FRAME HEIGHT 87 1/2" STD. 3 1/2" DOOR HEIGHT 84" STD SIDE BREAKAWAY **GLASS** TEMPERED <u>1/4</u>" 2 1/2" 4 1/2" 1 3/4" SQ. 1/2" TYP. RAIL OPTIONAL MUNTIN MID 4"

SCALE: CONTRACTOR SHEET TITLE: ARCHITECT: DRAWN BY: DATE: SHEET NO. SECTION 0

VERTICA

SECTI

1/4"

GUIDE BOTTOM J-MOLDING

4"